

# ONE

## Touch | Keypad Top-Milk XP NMS

Coffee, Hot Water, C-Lever Steam and Milk  
Touch Screen or Keypad user interface

NEW  
MILK  
SYSTEM

*Extreme flexibility  
for refined performances*

*Egro ONE Top-Milk XP NMS is endowed with two milk outlets for the simultaneous delivery of beverages whose quality is beyond compare.*

*With the Multi-Milk Selection option, the operator may make a highly versatile use of two different types of milk. Also available in the TWO Top-Milk XP NMS configuration for an unrivalled performance.*



24h recommended daily output\*  
**200** cups

1h maximum hourly output  
**250** espressos  
**180** caffè lungo  
**250** cappuccinos  
**150** latte macchiato



Two main versions:

**ONE Touch**  
with a large 5.7" touch display

**ONE Keypad**  
with a traditional keypad.

**The ONE Touch has an advanced user interface with a 5.7" touchscreen graphic display in full colour.**

The easy-to use user interface guides the barista through the choice of products. The multi-colored page system enables the barista to choose from 48 products, each one with its own attractive user-friendly icon. Restricted access technical menus offer the machine administrator a wide range of additional functions, such as precisely defining the ingredients of each individual drink, creating new drinks, checking machine consumption, running diagnostic checks and regularly cleaning the machine with step-by-step procedures shown on the display.




**POWDER MODULE.** The Powder Module allows for the management of a great number of beverages in powder form. It is an external device positioned on the right hand side of the machine and consists of two hoppers that may either be used with one powder or may operate sepa-

rately with different aromatized, spiced, caramelized, chocolate-based and milk powders. An alternative high-performing solution that is well suited to all those venues wishing to offer their customers an increasingly varied and exhaustive choice of beverages.

(\*) average value that guarantees the best ownership cost of the coffee machine



## ONE Touch | Keypad Top-Milk XP NMS



**w×d×h (with Fridge)**  
23.62×22.44×30.31 in  
600×570×770 mm

**ONE Touch**  
Top-Milk XP  
NMS

**ONE Keypad**  
Top-Milk XP  
NMS

### FEATURES

Hot Water Outlet	●	●
4-TEA / Hot-water temperature control system for tea	●	–
C-Lever Steam / Manual steam wand	●	●
iSteam / Totally automatic steam wand	○	○
Cool Touch / Steam wand	○	○
Simultaneous coffee, hot water and steam delivery	●	●
Milk Foamer Heads	2	2
Bypass for “Americanos or Breakfast Coffee”	○	○
Number of Selectable Products	up to 48	up to 16
Fresh Brew Coffee (litres / hour)	18	18
Hot Water (litres / hour)	36	36
Daily Cleaning Time (minutes)	6	6
Second Grinder	○	○
Number of Boilers	2	2
Dura-Brew / Advanced brewing technology	●	●
ABM.07 / Advanced Boiler Management	●	●
V-FLEX / Voltage stabilizer	●	●
EASY-FIX / Advanced diagnostics	●	●
LOAD&SHOW / Touchscreen graphic display	●	–
Functional Lights	●	●
Option Self	○	○
Central Hot Water Outlet	○	○
Lock Package	○	○
Powder Inlet	●	●
Ejection Device for Waste Coffee Drawer	○	○
Built-in kit for Trolley	○	○

### TECHNICAL DATA

Weight (lb / kg)	189.6 lb / 86 kg
Power Supply (phases ~ Volt)	1N ~220V-240V / 2N ~380-415V
Power Rating (kW)	6.6 kW / 3.6 kW

### ADD-ONS

Cup Warmer	○
Powder Module	○
Cool Box 6.5	–
Fridge	●
Various Payment Systems	○

### FRIDGE OPTIONS

Multi Milk Selection	○
Automatic Milk Level Monitoring	●
Extension for under-counter refrigerator	○

● Included ○ Optional – Not available

(\*) from 41 F to 158 F (5°C to 70 °C) / 16.9 oz (500 ml)

### OPTIONAL - TECHNICAL DATA

#### CUP WARMER

Dimensions (w-d-h)	Voltage - Frequency	Power	Weight
11.81×17.8×22.8 in 300×455×580 mm	230 V - 50/60 Hz	0.42Kw	30.13 lb 14 Kg

#### POWDER MODULE

Dimensions (w-d-h)	Voltage - Frequency	Power	Weight
6.3×18.5×30.31 in 160×470×770 mm	230 V - 50/60 Hz 120V - 60 Hz	0.10 Kw	28.10 lb 13 Kg

#### FRIDGE

Dimensions (w-d-h)	Voltage - Frequency	Power	Weight
11.81×17.8×22.8 in 300×455×580 mm	230 V - 50/60 Hz 120V - 60 Hz	0.10 Kw	63.14 lb 29 Kg



**NEW MILK SYSTEM.** Egro ONE Top-Milk XP NMS offers customers the possibility to choose from a vast range of milk solutions, specially studied to satisfy the multitude of commercial formats operating in the Ho.Re.Ca sales channel. Now regulated by means of appropriate software, the temperature and consistency of milk-based beverages are variables that may easily be configured and modified by a technician. The new dispensing spout, consisting of a single component that is easy to remove and take apart into two pieces, ensures perfect hygiene. The patented MLR (Milk Line Rinsing) system makes it possible to effect and to set a rapid rinsing phase with the aid of cold water and air, which safeguards the environment and reduces electricity consumption. The quick and simple daily washing cycle has been automated to such an extent that the barista just has to add the detergent.

**NEW FRIDGE.** Egro ONE Top-Milk XP NMS has an innovative fridge equipped with a convenient external display, which is supplied as a standard feature. The new Fridge, whose storage capacity is equivalent to 6.5 litres, is supplied with a capacitive sensor to accurately monitor the milk level in the tank. With the Multi-Milk Selection add-on, the user may operate with two different kinds of milk to satisfy the most demanding palates. All configurations offered with the ONE Top-Milk XP NMS version allow for the refrigeration unit to be positioned under the counter, if so desired.



**DURA-BREW.** The international spirit of Egro ONE is underscored by the enhanced brewing group in stainless steel 18 grams, created for the specific purpose of enabling the preparation of coffee beverages in perfect American and North European style. The brewing unit boasts a revolutionary patented hermetic closing system, which requires less maintenance and reduces the overall running costs of the machine.



[www.g-max.nl](http://www.g-max.nl)